



			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	27" × 9" R14 5418330	FRONT		26 LBS			805 LBS	
14"	27" × 11" R14 5418331	REAR	10	31 LBS	8	3	965 LBS	
14"	29" * 9" R14 5418332	FRONT	16 _{mm}	30 LBS		3	1,100 LBS	
14"	29" × 11" R14 5418333	REAR		35 LBS			1,320 LBS	



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	28" × 10" R15 5416344			32 LBS			1,110 LBS	
15" 15"	30" × 10" R15 5416345	FRONT/ REAR		38 LBS	10	3	1,235 LBS	
15"	32" × 10" R15 5418252			44 LBS			1,390 LBS	



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL
14"	26" × 9" R14 5415613	FRONT	22	28 LBS			910 LBS	
14"	26" × 11" R14 5415614	REAR	23 _{mm}	32 LBS	8	3	1,320 LBS	



PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			DEPTH	WEIGHT	RATING	BELTS	RATING	RGF
14"	26" × 9" R14 5416340	FRONT	16mm	27 LBS			910 LBS	
14" ↓	26" × 11" R14 5416341	REAR		30 LBS			1,110 LBS	
14" ↓	29" × 9" R14 5416342	FRONT		30 LBS	10	3	1,110 LBS	
141"	29" × 11" R14 5416343	REAR		35 LBS			1,320 LBS	
15"	32" * 10" R15 5416753	FRONT/ REAR		38 LBS			1,990 LBS	



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	30" × 10" R14 5415616			38 LBS			1,280 LBS	
14"	32" × 10" R14 5416113			41 LBS			1,420 LBS	
15"	28" × 10" R15 5416346			33 LBS			1,100 LBS	
15"	30" × 10" R15 5416397	FRONT/ REAR	20mm	39 LBS	8	3	1,280 LBS	
15"	32" × 10" R15 5416699			42 LBS			1,390 LBS	
15"	33" × 10" R15 5418255			44 LBS			1,520 LBS	
16"	32" × 10.5" R16 5416401			44 LBS			1,420 LBS	



PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- $\boldsymbol{\cdot}$ A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	28" × 10" R14 5415536			32 LBS			1,140 LBS	
15"	30" × 10" R15 5418254	FRONT/	10	37 LBS	_		1,280 LBS	
15" 15"	32" × 10" R15 5416114	REAR	16 _{mm}	39 LBS	8	3	1,390 LBS	
15"	33" × 10" R15 5417174			39 LBS			1,390 LBS	



PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
5"	30" × 9" R15 5417531			30 LBS			1,170 LBS	
.5"	32" × 9.5" R15 5417532	FRONT/ REAR	14 _{mm}	36 LBS	8	3	1,390 LBS	
↑ 5" 	33" × 9.5" R15 5417533			38 LBS			1,480 LBS	



PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	30" * 10" R15 5417534	FRONT/	18 _{mm}	36 LBS	_	_	1,280 LBS	
15"	32" × 10" R15 5417535	REAR	ISmm	39 LBS	8	3	1,390 LBS	



PRO ARMOR MUD XC

- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- \bullet 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	27" * 9" R14 5416947	FRONT		30 LBS	10	3	1,170 LBS	
14"	27" × 11" R14 5416948	REAR	30 _{mm}	32 LBS			1,320 LBS	
14"	29" × 10" R14 5416946	FRONT/	JUMM	39 LBS	10		1,390 LBS	
15"	30" × 10" R15	REAR		39 LBS			1,280 LBS	



PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- · Unique full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	SPM
112" ↓	26" * 9" R12 5415756	FRONT	31.7 _{mm}	28 LBS	10	3/1 Aramid	855 LBS		
12" ↓	26" * 11" R12 5415757	REAR	31.7mm	32 LBS	10	Fiber Belt	1,100 LBS		



- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR	SPM
14"	29" × 10" R14 5417507	FRONT/ REAR	31.8 _{mm}	40 LBS	10	3/1 Aramid	1,320 LBS		



PRO ARMOR HARVESTER

- All-around work horse with tread life of 5,000 miles / 8,047 km
- \bullet Tread pattern designed to with stand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
12"	26" × 8" R12 5416396	FRONT		24 LBS			855 LBS	
12" ↓	26" × 10" R12 5415966°	REAR		32 LBS		3	1,355 LBS	
14"	27" × 10" R14 5415965	FRONT/ REAR	16 _{mm}	32 LBS	10		1,320 LBS	
14"	28" × 10" R14 5416347	FRONT/ REAR		34 LBS			1,390 LBS	
15"	30" × 10" R15 5417529	FRONT/ REAR		37 LBS			1,320 LBS	



PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
12"	26" × 8" R12 5416403	FRONT		24 LBS			855 LBS	
12"	26" * 10" R12 5416402	REAR	16 _{mm}	28 LBS	10	3	1,320 LBS	
14"	27" × 10" R14	FRONT/ REAR		28 LBS			1,390 LBS	



- Designed as the perfect mud-trail crossover for a smooth ride on the trail and aggressive traction in the mud
- Dual-compound technology with harder durometer lugs promote extended wear, increasing tire life
- 10-ply construction means added protection in the toughest terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	27" * 9" R14 5416947	FRONT	REAR 30mm	30 LBS	10	3	1,170 LBS	
14"	27" × 11" R14 5416948	REAR		32 LBS			1,320 LBS	
14"	29" × 10" R14 5416946	FRONT/		39 LBS	10		1,390 LBS	
15"	30" × 10" R15 5418253	REAR		39 LBS			1,280 LBS	

- Aggressive traction in the mud
- Dual-compound technology with harder durometer lugs to promote extended wear and increase tire life
- 10-ply construction for added protection in the toughest terrain.

•	IU-piy	constr	uction	tor a	aaea	protect	tion in	tne	tougnes	t terrain	

			DEPTH	WEIGHT	RATING	BELTS	RATING	RZF
15"	32" * 9" R15 5417530	FRONT/ REAR	30mm	41 LBS	10	3	1,320 LBS	

1



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL
141	30" × 10" R14 5415616			38 LBS			1,280 LBS	
14"	32" × 10" R14 5416113			41 LBS		3	1,420 LBS	
15" 15"	28" × 10" R15 5416346			33 LBS	8		1,100 LBS	
15" 15"	30" × 10" R15 5416397	FRONT/ REAR	20mm	39 LBS			1,280 LBS	
15" ↓	32" × 10" R15 5416699			42 LBS			1,390 LBS	
15"	33" × 10" R15 5418255			44 LBS	_		1,520 LBS	
16"	32" × 10.5" R16			44 LBS			1,420 LBS	

PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	28" * 10" R14 5415536			32 LBS			1,140 LBS	
15"	30" * 10" R15 5418254	FRONT/		37 LBS		3	1,280 LBS	
15"	32" * 10" R15 5416114	REAR		39 LBS	8		1,390 LBS	
15"	33" × 10" R15 5417174			39 LBS			1,390 LBS	

PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- \bullet 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	30" * 10" R15 5417534	FRONT/	10	36 LBS	8		1,280 LBS	
15"	32" * 10" R15 5417535	REAR	18 _{mm}	39 LBS		3	1,390 LBS	



PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
↑ 15" ↓	30" × 9" R15 5417531			30 LBS			1,170 LBS	
↑ 15"	32" × 9.5" R15 5417532	FRONT/ REAR		36 LBS	8	3	1,390 LBS	
15"	33" × 9.5" R15 5417533			38 LBS			1,480 LBS	



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	28" * 10" R15 5416344			32 LBS			1,110 LBS	
15"	30" × 10" R15 5416345	FRONT/ REAR	29mm	38 LBS	10	3	1,235 LBS	
15"	32" × 10" R15 5418252			44 LBS			1,390 LBS	



PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
	26" * 9" R14 5416340	FRONT	16 _{mm}	27 LBS			910 LBS	
	26" × 11" R14 5416341	REAR		30 LBS			1,110 LBS	
	29" × 9" R14 5416342°	FRONT		30 LBS	10	3	1,110 LBS	
	29" × 11" R14 5416343	REAR		35 LBS			1,320 LBS	
•	32" * 10" R15 5416753	FRONT/ REAR		38 LBS			1,990 LBS	

6





PRO ARMOR DUAL-THREAT

- Dual-compound technology and radial construction offer performance in all terrains
- Softer durometer rubber on outer edge for overall superior grip and feel
- Harder durometer rubber in the middle for increased traction during acceleration and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	26" × 9" R14 5416340	FRONT		27 LBS			910 LBS	
14"	26" × 11" R14 5416341	REAR	16 _{mm}	30 LBS	10	3	1,110 LBS	
14"	29" × 9" R14 5416342	FRONT		30 LBS			1,110 LBS	
14"	29" × 11" R14 5416343	REAR		35 LBS			1,320 LBS	
15"	32" × 10" R15	FRONT/		38 LBS			1,990 LBS	



PRO ARMOR PRO RUNNER

- Designed to be lightweight, high-performance and quicker in corners/flats
- Triple-belted sidewalls offer extra protection where it's needed the most
- · Lug separation provides a great grip and an easy clean in mud and sand

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPIV
15" +	30" × 9" R15 5417531			30 LBS			1,170 LBS	
15" 15"	32" × 9.5" R15 5417532	FRONT/ REAR	14 _{mm}	36 LBS	8	3	1,390 LBS	
15"	33" × 9.5" R15 5417533			38 LBS			1,480 LBS	



PRO ARMOR CRAWLER XG

- Built to crawl over all obstacles, both large and small
- A soft, sticky compound makes this tire ideal for both rock crawling and desert running
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	30" × 10" R14 5415616			38 LBS			1,280 LBS	
14"	32" × 10" R14 5416113			41 LBS			1,420 LBS	
15"	28" × 10" R15 5416346			33 LBS			1,100 LBS	
15" 15"	30" * 10" R15 5416397	FRONT/ REAR	20mm	39 LBS	8	3	1,280 LBS	
15" +	32" × 10" R15 5416699			42 LBS			1,390 LBS	
15"	33" * 10" R15 5418255			44 LBS			1,520 LBS	
16"	32" × 10.5" R16 5416401			44 LBS			1,420 LBS	



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15" 15"	28" * 10" R15 5416344			32 LBS			1,110 LBS	
15" ↓	30" * 10" R15 5416345	FRONT/ REAR	REAR 25mm	38 LBS	10	3	1,235 LBS	
15" ↓	32" × 10" R15 5418252			44 LBS			1,390 LBS	



PRO ARMOR CRAWLER AT

- Directional tread for optimal performance
- Greater lug separation for easy mud clean out
- 8-ply, triple-belted ballistic sidewalls resist punctures

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPN
•	30" × 10" R15 5417534	FRONT/	RONT/ REAR 18mm	36 LBS			1,280 LBS	
5"	32" × 10" R15 5417535	REAR		39 LBS	8	3	1,390 LBS	



PRO ARMOR CRAWLER XR

- Premium grip for all terrains, from the trail to the rocks
- Square block profile for even surface contact
- A tougher durometer than the XG to take on the toughest the trail has to offer

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	28" × 10" R14 5415536			32 LBS			1,140 LBS	
15"	30" × 10" R15 5418254	FRONT/		37 LBS	_		1,280 LBS	
15"	32" × 10" R15 5416114	REAR	EAR 16mm	39 LBS	8	3	1,390 LBS	
15"	33" × 10" R15 5417174			39 LBS			1,390 LBS	



PRO ARMOR ATTACK

- \bullet The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	26" × 9" R14 5415613	FRONT	22	28 LBS			910 LBS	
14"	26" × 11" R14 5415614	REAR	23 _{mm}	32 LBS	8	3	1,320 LBS	



- Paddles provide traction and durability in soft sand
- Built to float on top of sand







PRO ARMOR SAND 12XT

- Unique 3-tier concave design on front tires
- Wider rear tires for more traction, plus better grip and flotation on the sand
- 12 paddles for optimized performance on non-turbo models
- $\bullet \ 28 mm \ paddle \ depth \ specifically \ designed \ for \ increased \ traction, \ while \ limiting \ sand \ throw$

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	30" × 11" R14 5415251	FRONT	12.8 _{mm}	22 LBS	8	2	855 LBS	
141"	30" × 13" R14 5416949	REAR	28mm	25 LBS	4	2	1,050 LBS	

FRONT REAR



PRO ARMOR SAND 16XT

- Unique 3-tier concave design on front tires
- Wider rear tires with additional paddles for more traction, better grip and flotation on the sand
- 16 paddles for optimized performance and traction on turbo models
- $\bullet \ 28 mm \ paddle \ depth \ specifically \ designed \ for \ increased \ traction, \ while \ limiting \ sand \ throw$

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15"	30" * 11" R15 5416951	FRONT	13 _{mm}	23 LBS			855 LBS	
15" ↓	30" × 14" R15 5416953	REAR	28 _{mm}	34 LBS	4	2	925 LBS	
15" ↓	32" × 12" R15 5416952	FRONT	13 _{mm}	27 LBS	4		1,020 LBS	
15" ↓	32" × 15" R15 5416950	REAR	28 _{mm}	36 LBS			1,280 LBS	





PRO ARMOR PRESERVE

- Turf-friendly for areas where low-impact from tire tread is needed
- Rounded profile and special tread pattern to limit footprint

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
12" +	26" × 8" R12 5416403	FRONT		24 LBS			855 LBS	
12" +	26" * 10" R12 5416402	REAR	16 _{mm}	28 LBS	10	3	1,320 LBS	
14" 1 4 "	27" × 10" R14 5416348	FRONT/ REAR		28 LBS			1,390 LBS	



PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
12"	26" * 9" R12 5415756	FRONT	21.7	28 LBS	10	3/1 Aramid	855 LBS	ш
12"	26" × 11" R12 5415757	REAR	31.7 _{mm}	32 LBS	10	Fiber Belt	1,100 LBS	



X TERRAIN

- Built to perform through the toughest obstacles on any trail
- Durability-driven design to provide a comfortable, confident ride
- 8-ply, triple-belted ballistic sidewalls resist punctures

		TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
27" × 9" R14 5418330	FRONT		26 LBS			805 LBS	
27" × 11" R14 5418331	REAR	10	31 LBS		3	965 LBS	
29" * 9" R14 5418332	FRONT	16 _{mm}	30 LBS	8		1,100 LBS	
29" × 11" R14 5418333	REAR		35 LBS			1,320 LBS	



PRO ARMOR HARVESTER

- All-around work horse with tread life of 5,000 miles / 8,047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
)	26" × 8" R12 5416396	FRONT		24 LBS			855 LBS	
)	26" * 10" R12 5415966	REAR		32 LBS		3	1,355 LBS	
	27" × 10" R14 5415965	FRONT/ REAR	16 _{mm}	32 LBS	10		1,320 LBS	
	28" * 10" R14 5416347	FRONT/ REAR		34 LBS			1,390 LBS	
	30" * 10" R15 5417529	FRONT/ REAR		37 LBS			1,320 LBS	



PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	29" * 10" R14 5417507	FRONT/ REAR	31.8 _{mm}	40 LBS	10	3/1 Aramid	1,320 LBS	

11

10



- Extra wide tires for flotation in snow
- Cross-hatched tread pattern designed for superior snow traction with limited digging
- 2-ply sidewall designed to balloon for maximum use of its 15" wide contact patch
- Stud compatible

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	27" × 14" R14 5416032	FRONT	16 _{mm}	24 LBS	8		935 LBS	
15"	30" × 15" R15 5416395	FRONT/ REAR	17 _{mm}	46 LBS	2	2	1,170 LBS	

- All-around work horse with tread life of 5,000 miles / 8,047 km
- Tread pattern designed to withstand anything from the farmyard to the pastures and the trail
- With 10-ply, it can carry the load day in and day out

			TREAD	TIRE	PLY	SIDEWALL	LOAD	Z = 2 2
			DEPTH	WEIGHT	RATING	BELTS	RATING	RGR RZR GRL SPM
12" +	26" × 8" R12 5416396	FRONT		24 LBS			855 LBS	
12"	26" × 10" R12 5415966	REAR	16mm	32 LBS	10	3	1,355 LBS	
14"	27" × 10" R14 5415965	FRONT/ REAR		32 LBS			1,320 LBS	
14"	28" × 10" R14 5416347	FRONT/ REAR		34 LBS			1,390 LBS	
15"	30" × 10" R15	FRONT/		37 LBS			1,320 LBS	





PRO ARMOR XD-K

- 26" Aramid fiber-belted tire to tackle any terrain
- Unique full-face tread design
- Harder durometer lugs promotes extended wear, increasing tire life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
12"	26" × 9" R12 5415756	FRONT	31.7mm	28 LBS	10	3/1 Aramid Fiber Belt	855 LBS	
12"	26" * 11" R12 5415757	REAR		32 LBS			1,100 LBS	



PRO ARMOR HD-K

- Designed to provide a smooth ride and aggressive traction in all riding terrains
- Triple-belted sidewall provides extreme protection and extends the tire life
- Quad belt tread core offers superior protection and longer tread life

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	29" × 10" R14 5417507	FRONT/ REAR	31.8 _{mm}	40 LBS	10	3/1 Aramid	1,320 LBS	



PRO ARMOR ATTACK 2.0

- Engineered for excellent hard-pack performance
- Dual-compound technology and radial construction offer performance in all terrains
- Tight tread pattern for quieter ride

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
15" ↓	28" * 10" R15 5416344	FRONT/ REAR		32 LBS	10		1,110 LBS	
15" ↓	30" * 10" R15 5416345		25mm	38 LBS		3	1,235 LBS	
15" ↓	32" * 10" R15 5418252			44 LBS			1,390 LBS	



PRO ARMOR ATTACK

- The best all-purpose tire for all-season traction in any terrain
- Unique, full-face tread design
- Harder durometer lugs promote extended wear, increasing tire life
- Wider spaced lugs provide more grip in softer terrain

			TREAD DEPTH	TIRE WEIGHT	PLY RATING	SIDEWALL BELTS	LOAD RATING	RGR RZR GRL SPM
14"	26" × 9" R14 5415613	FRONT	23mm	28 LBS	_		910 LBS	
14"	26" × 11" R14 5415614	REAR	23mm	32 LBS	8	3	1,320 LBS	





















RZR

RZR





15'





















60-SERIES

A 6301 BEADLOCK

RZR

WEIGHT: 19 LBS LOAD RATING: 1,600 LBS OFFSET: +38

FRONT/REAR 16"×7" 1523286 MATTE BLACK: FRONT/REAR 16"×7" 1523285



50-SERIES

■ 5101 ○

RZR

WEIGHT: 14.5 LBS LOAD RATING: 800 LBS OFFSET: -5

MATTE BLACK: FRONT/REAR 15" × 10" 1523149-458

6 5201

RGR RZR GRL

WEIGHT: 17.1 LBS LOAD RATING: 1,300 LBS OFFSET: +4

FRONT/REAR 15"×7" 1523184-266 MATTE BLACK: FRONT/REAR 15"×7" 1523184-458

RGR RZR GRL

RGR RZR

RZR

WEIGHT: 17.8 LBS LOAD RATING: 1.300 LBS OFFSET: +4

FRONT/REAR 15"×7" 1523102-266 MATTE BLACK: FRONT/REAR 15"×7" 1523102-458

■ 5203 BEADLOCK OO RGR RZR GRL

WEIGHT: 16 LBS LOAD RATING: 1,300 LBS OFFSET: +38 MATTE BLACK: FRONT/REAR 15"×7" 1522435-458

6 5204 **0**

WEIGHT: 13.5 LBS LOAD RATING: 1.300 LBS OFFSET: +55 MATTE BLACK: FRONT/REAR 15"×7" 1522550-458

6 5205

FRONT WEIGHT: 151BS LOAD RATING: 9001BS OFFSET: -4 REAR WEIGHT: 20 LBS LOAD RATING: 900 LBS OFFSET: -38

MATTERIACK: FRONT 15"×8" 1523727-458 15"×10" 1523728-458 **1** 5206 **5**

RZR

WEIGHT: 15.5 LBS LOAD RATING: 1.200 LBS OFFSET: +55

MATTE BLACK: FRONT/REAR 15"×7" 1524041 ONLY COMPATIBLE WITH PRO R 4, PRO R, TURBO R 4 & TURBO R

<u>1</u> 5207/5303 <u>5</u>

RZR

FRONT WEIGHT: 16 LBS LOAD RATING: 1,260 LBS OFFSET: -4 REAR WEIGHT: 19 I RS LOAD RATING: 1.670 I RS OFFSET: -38

15"×8" 1524043 MATTE BLACK: FRONT 15"×10" 1524042 REAR ONLY COMPATIBLE WITH PRO R 4. PRO R. TURBO R 4 & TURBO R

9 5208

RZR

RZR

RZR

RGR RZR GRL

WEIGHT: 12.8 LBS LOAD RATING: 1,200 LBS OFFSET: +55 MATTE BLACK: FRONT/REAR 15"×7" 1525454

■ 5301 BEADLOCK

WEIGHT: 17 LBS LOAD RATING: 1,600 LBS OFFSET: +38

ACCENT: FRONT/REAR 15"×7" 1523282 MATTE BLACK: FRONT/REAR 15"×7" 1523266

□ 5302 BEADLOCK ⑤

WEIGHT: 16.5 LBS LOAD RATING: 1,670 LBS OFFSET: +55

MATTE BLACK: FRONT/REAR 15"×7" 1524038 ONLY COMPATIBLE WITH PRO R 4, PRO R, TURBO R 4 & TURBO R

№ 5305 BEADLOCK

WEIGHT: 18.5 LBS LOAD RATING: 1,650 LBS OFFSET: +38

MATTE BLACK: FRONT/REAR 15"×7" 1525455

40-SERIES

4101

1411

WEIGHT: 14.5 LBS LOAD RATING: 800 LBS OFFSET: -35

MATTE BLACK: FRONT/REAR 14"×10" 1522958

4201

RGR RZR GRL SPN

FRONT WEIGHT: 13 LBS LOAD RATING: 900 LBS OFFSET: +4 REAR WEIGHT: 14 LBS LOAD RATING: 1,300 LBS OFFSET: -9

ACCENT: EDUNIT 14"×7" 1522956-266 REAR 14"×8" 1522957-266

14"×8" 1522957-458 NOT COMPATIBLE WITH RZR XP 4 1000/1000 '18-22, XP 4 TURBO/TURBO '18-1

14"×7" 1522956-458

9 4202 **0**

MATTE BLACK: FRONT

RGR RZR GRL SPM

FRONT WEIGHT: 12.75 LBS LOAD RATING: 900 LBS OFFSET: +4 REAR WEIGHT: 13.5 IRS LOAD RATING: 1,300 LBS OFFSET: -9

14"×7" 1522544-266 REAR 14"×8" 1522545-266 MATTE BLACK: FRONT 14"×7" 1522544-458 14"×8" 1522545-458 RFAR NOT COMPATIBLE WITH RZR XP 4 1000/1000 '18-22, XP 4 TURBO/TURBO '18-19

9 4203 BEADLOCK OO RGR RZR GRL SPM

FRONT WEIGHT: 13 LBS LOAD RATING: 900 LBS OFFSET: +4 REAR WEIGHT: 14.5 IBS LOAD RATING: 1.300 IBS OFFSET: -9

14"×7" 1522238-458 MATTE BLACK: FRONT 14"×8" 1522239-458 RFAR

€ 4204 ♥

RGR RZR GRL SPM

REAR WEIGHT: 14 LBS LOAD RATING: 1 300 LBS OFFSET: -9 14"×7" 1522546-266 ACCENT: FRONT 14"×8" 1522547-266 REAR

FRONT WEIGHT: 13 LBS LOAD RATING: 900 LBS OFFSET: +4

14"×7" 1522546-458 MATTERLACK: FRONT RFAR 14"×8" 1522547-458

■ 4205 ○

FRONT WEIGHT: 10.5 LBS LOAD RATING: 900 LBS OFFSET: +4 REAR WEIGHT: 12.5 LBS LOAD RATING: 1,300 LBS OFFSET: -9

RGR RZR GRL SPM

MATTEBLACK: FRONT 14"×7" 1521507-521 REAR 14"×8" 1521508-521 LUSTER: FRONT 14"×7" 1521507-410 14"×8" 1521508-410 REAR

1 4206 **○**

RZR SPM FRONT WEIGHT: 9.5 IBS LOAD RATING: 900 IBS OFFSET: +4 REAR WEIGHT: 10.75 LBS LOAD RATING: 1,300 LBS OFFSET: -9

14"×6" 1522542-458 MATTEBLACK: FRONT 14"×8" 1522543-458

U 4301 BEADLOCK RGR RZR GRL SPM

WEIGHT: 16 LBS LOAD RATING: 1,600 LBS OFFSET: +38

FRONT/REAR 14"×7" 1523284 ACCENT: MATTEBLACK: FRONT/REAR 14"×7" 1523283 NOT COMPATIBLE WITH RZR XP 4 1000/1000 '18-22, XP 4 TURBO/TURBO '18-19 V 4302 BEADLOCK

WEIGHT: 15 LBS LOAD RATING: 1,600 LBS OFFSET: +58 MATTE BLACK: FRONT/REAR 14"×7" 5418036

<u>w</u> 4303

WEIGHT: 13 LBS LOAD RATING: 1,200 LBS OFFSET: +58

MATTEBLACK: FRONT/REAR 14"×7" 5418037

HD DUAL BEADLOCK RGR RZR GRL SPM

WEIGHT: 40 LBS LOAD RATING: 1,600 LBS OFFSET: +28

MATTE BLACK: FRONT/REAR 14"×7" 1524022-458

O BEADLOCK REQUIRED

O LUG NUTS REQUIRED

(5) WHEELS WITH 5 LUG NUTS. ONLY COMPATIBLE WITH RZR PRO R 4, RZR PRO R, RZR TURBO R 4 & RZR TURBO R.

KNOW YOUR WHEELS

STEP 1: SELECT SERIES

4 = 40-SERIES **5** = **50-SERIES**

6 = 60-SERIES

STEP 2: CHOOSE LOAD RATING

1 = <800 LBS

2 = 801 - 1,300 LBS

3 = 1,301 - 1,600 + LBS

STEP 3: PICK STYLE

OFFSET / BEADLOCK / COLOR INCREASE OFFSET FROM STOCK = NARROWER STANCE DECREASE OFFSET FROM STOCK = WIDER STANCE

14" FORGED BEADLOCK RINGS

4203 BEADLOCK & HD DUAL BEADLOCK 4301 BEADLOCK REPLACEMENT 8 HD DUAL BEADLOCK MACHINED: (INCLUDES BOLTS) 1522244-266

MATTE BLACK: 1523146-458 15" FORGED BEADLOCK RINGS

5203 BEADLOCK MACHINED: (INCLUDES BOLTS) 1522240-266

5301 BEADLOCK REPLACEMENT MATTE BLACK:

1523147-458

14



VISIT OFFROAD.POLARIS.COM
FOR MORE INFORMATION ON PRO ARMOR WHEELS & TIRES

